Author Index

Agnew, G. D.	Water spray cooling in gas turbine cycles	203–211
Alkabie, H.	Design methods of the ABB ALSTOM POWER gas turbine dry low emission combustion system	293–315
Ardizzon, G.	Direct and reverse flow conditions in radial flow hydraulic turbomachines	635–644
Bansal, P. K.	Modelling of cogeneration systems. Part 1: historical perspective	115–124
Bansal, P. K.	Modelling of cogeneration systems. Part 2: development of a quasi-static cogeneration model (steam turbine cogeneration analysis)	125–143
Bansal, P. K.	Modelling of cogeneration systems. Part 3: application of steam turbine cogeneration analysis to Auckland Hospital cogeneration utility system	227–241
Basu, D.	Two-dimensional Navier–Stokes analysis of an internally cooled turbine blade	585–598
Bennett, I.	The design and analysis of pipe diffusers for centrifugal compressors	87–96
Biswas, D.	Experimental study on the performance of a compact heat sink for LSI packages	523–530
Blank, D. A.	Cooling and healing rate limits of a reversed reciprocating Ericsson cycle at steady state	75–85
Bohn, D.	On appraising alternative power plant investment proposals. Part 1: the economic model	541–551
Bohn, D.	On appraising alternative power plant investment proposals. Part 2: application	553–563
Bradley, M. S. A.	Techniques for control of splitting ratios of particulate materials at bifurcations in pneumatic conveying pipelines	657–667
Bridle, I.	Techniques for control of splitting ratios of particulate materials at bifurcations in pneumatic conveying pipelines	657–667
Bulgan, A. T.	Design and analysis of a water–ammonia absorption refrigeration system	449–454
Camporeale, S. M.	Dynamic modelling of recuperative gas turbines	213–225
Carder, D.	Emissions characteristics of higher alcohol/gasoline blends	165–182
Chen, C.-K.	Exergy analysis for a combined system of steam-injected gas turbine cogeneration and multiple-effect evaporation	61–73
Chen, C.-K.	An ecological exergy analysis for an irreversible Brayton engine with an external heat source	413–421
Childs, P. R. N.	Development of a novel gas turbine driven centrifugal compressor	423–437
Coppinger, M.	Performance prediction of an industrial centrifugal compressor inlet guide vane system	153–164
Coton, F. N.	Prediction of the unsteady aerodynamic characteristics of horizontal axis wind turbines including three-dimensional effects	385–400
Critoph, R. E.	A prototype of a fast cycle adsorption refrigerator utilizing a novel carbon–aluminium laminate	439–448
Damangir, A.	Inlet induced flow in squirrel-cage fans	243–253
Das, K.	Two-dimensional Navier–Stokes analysis of an internally cooled turbine blade	585–598
Davies, G. N. L.	A prototype of a fast cycle adsorption refrigerator utilizing a novel carbon–aluminium laminate	439–448
Davies, S. J.	Development of a novel gas turbine driven centrifugal compressor	423–437
De, S.	Effect of supplementary firing on the performance of an integrated gasificatioon combined cycle power plant	53–60
De, S.	Temperature and gas concentration profiles in a circulating fluidized-bed combustor burning an Indian coal	281–286
De, S.	Thermodynamic analysis of a partial gasification pressurized combustion and supercritical steam combined cycle	565–574
Doonan, A. F.	Evaluation of an above-ground installation control strategy using Simulink	487–495
Dowling, A. P.	Instability in lean premixed combustors	317–332
Dumas, A.	Dynamic modelling of recuperative gas turbines	213–225
Eastwick, C. N.	Computational fluid dynamics applied to a cement precalciner	269–280
Elder, R. L.	The design and analysis of pipe diffusers for centrifugal compressors	87–96
Elder, R. L.	Computational studies of unsteady flows in a centrifugal compressor stage	611–633
Esayed, A. Y.	Development of novel intermetallic compounds and solid solution systems as hydrogen storage devices	669–676
Eynon, P. A.	Pressure recovery in a turbocharger compressor volute	599–610
Fan, H.-Y.	A neural network approach for centrifugal impeller inverse design	183–186
Fan, H.-Y.	Multi-point optimal design for diffuser cascades of centrifugal compressors	187–190

© IMechE 2000

Farnish, R. J.	Techniques for control of splitting ratios of particulate materials at bifurcations in pneumatic conveying pipelines	657–667
Fisher, E. H.	Water spray cooling in gas turbine cycles	203–211
Fortunato, B.	Dynamic modelling of recuperative gas turbines	213–225
Fraisse, G.	Proposal for a highly intermittent heating law for discontinuously occupied buildings	29–39
Gandhi, B. K.	Improvements in the prediction of performance of centrifugal slurry pumps handling slurries	473–486
Gautam, M.	Emissions characteristics of higher alcohol/gasoline blends	165–182
Gautam, M.	Combustion characteristics of higher-alcohol/gasoline blends	497–511
Ge, Y. T.	Mathematical modelling of supermarket refrigeration systems for design, energy prediction and control	101–114
Giddings, D.	Computational fluid dynamics applied to a cement precalciner	269–280
Greenhalgh, D. A.	Laser imaging of fuel injection systems and combustors	367–376
Griffin, F. M.	Feasibility of energy recovery from a wastewater treatment scheme	41–51
Gu, T.	A novel supervisory control approach to switching operations for hybrid wind/diesel/battery/mains energy systems	691–696
Harvey, C. G.	Development of a novel gas turbine driven centrifugal compressor	423–437
Hayama, S.	Application of a semi-empirical approach to the thermal design of electronic equipment	513–522
He, L.	Three-dimensional unsteady Navier–Stokes analysis of stator–rotor interaction in axial-flow turbines	13–22
Holmes, T.	Techniques for control of splitting ratios of particulate materials at bifurcations in pneumatic conveying pipelines	657–667
Huang, Y.-C.	Exergy analysis for a combined system of steam-injected gas turbine cogeneration and multiple-effect evaporation	61–73
Huang, Y.-C.	An ecological exergy analysis for an irreversible Brayton engine with an external heat source	413–421
Hubbard, S.	Instability in lean premixed combustors	317–332
Hung, C.-I.	Exergy analysis for a combined system of steam-injected gas turbine cogeneration and multiple-effect evaporation	61–73
Hung, C.-I.	An ecological exergy analysis for an irreversible Brayton engine with an external heat source	413–421
Ichikawa, A.	Pollution—cost balance in road tunnel ventilation	677–690
Ishizuka, M.	Application of a semi-empirical approach to the thermal design of electronic equipment	513–522
Ichizuka, M.	Experimental study on the performance of a compact heat sink for LSI packages	523–530
Islam, S. M.	A novel supervisory control approach to switching operations for hybrid wind/diesel/battery/mains energy systems	691–696
Jones, W. P.	Mathematical modelling of turbulent combustion for gas turbines	355–365
Kang, C. W.	Evaluation of the forced outage length contribution of critical nuclear power systems in an extended operating cycle	23–28
Keerthipala, W. W. L.	A novel supervisory control approach to switching operations for hybrid wind/diesel/battery/mains energy systems	691–696
Khan, J.-ur-R.	Design and rating of dedicated mechanical-subcooling vapour compression refrigeration systems	455–471
Kikstra, J. F.	Conceptual design for the energy conversion system of a nuclear gas turbine cogeneration plant	401–411
Koç, A.	Design and analysis of a water–ammonia absorption refrigeration system	449–454
Kolovratnik, M.	Modelling of the droplet size distribution in a low-pressure steam turbine	145–152
Koumoutsos, A.	Computational studies of unsteady flows in a centrifugal compressor stage	611–633
Lawn, C. J.	The thermo-acoustic response of a premixed swirl burner	333–354
McKenzie, A. B.	The design and performance of axial compressor stages in fully developed flow	575–583
Martin II, D. W.	Emissions characteristics of higher alcohol/gasoline blends	165–182
Martin II, D. W.	Combustion characteristics of higher-alcohol/gasoline blends	497–511
Menezo, C.	Proposal for a highly intermittent heating law for discontinuously occupied buildings	29–39
Millward, J. A.	Development of a novel gas turbine driven centrifugal compressor	423–437
Mirzaie, H.	Inlet induced flow in squirrel-cage fans	243–253
Momber, A. W.	A dimensionless number for the control of ultra-high-pressure water systems	645–655
Montazerin, N.	Inlet induced flow in squirrel-cage fans	243–253
Nag, P. K.	Effect of supplementary firing on the performance of an integrated gasification combined cycle power plant	53–60
Nag, P. K.	Temperature and gas concentration profiles in a circulating fluidized-bed combustor burning an Indian coal	281–286

 © IMechE 2000

Nag, P. K.	Thermodynamic analysis of a partial gasification pressurized combustion and supercritical steam combined cycle	565–574
Nayar, C. V.	A novel supervisory control approach to switching operations for hybrid wind/diesel/battery/mains energy systems	691–696
Neal, A. N.	Pump efficiency testing by the thermodynamic method—an independent view	255–268
O'Brien, J. M.	Modelling of cogeneration systems. Part 1: historical perspective	115–124
O'Brien, J. M.	Modelling of cogeneration systems. Part 2: development of a quasi-static cogeneration model (steam turbine cogeneration analysis)	125–143
O'Brien, J. M.	Modelling of cogeneration systems. Part 3: application of steam turbine cogeneration analysis to Auckland Hospital cogeneration utility system	227–241
Öztürk, N. A.	Design and analysis of a water–ammonia absorption refrigeration system	449–454
Pavesi, G.	Direct and reverse flow conditions in radial flow hydraulic turbomachines	635–644
Petr, V.	Modelling of the droplet size distribution in a low-pressure steam turbine	145–152
Pickering, S. J.	Computational fluid dynamics applied to a cement precalciner	269–280
Reed, A. R.	Techniques for control of splitting ratios of particulate materials at bifurcations in pneumatic conveying pipelines	657–667
Reynolds, B. T.	The effects of free stream air velocity on water droplet size and distribution for an impaction spray nozzle	531–537
Ritchey, I.	Water spray cooling in gas turbine cycles	203–211
Roy-Aikins, J. E. A.	On appraising alternative power plant investment proposals. Part 1: the economic model	541–551
Roy-Aikins, J. E. A.	On appraising alternative power plant investment proposals. Part 2: application	553–563
Sarkar, S.	Two-dimensional Navier–Stokes analysis of an internally cooled turbine blade	585–598
Schlatter, J. C.	Ultra-low NO_x via catalytic combustion	377–383
Selves, T. P.	Techniques for control of splitting ratios of particulate materials at bifurcations in pneumatic conveying pipelines	657–667
Seshadri, V.	Improvements in the prediction of performance of centrifugal slurry pumps handling slurries	473–486
Simmons, K.	Computational fluid dynamics applied to a cement precalciner	269–280
Singh, S. N.	Improvements in the prediction of performance of centrifugal slurry pumps handling slurries	473–486
Spence, M. K.	The effects of free stream air velocity on water droplet size and distribution for an impaction spray nozzle	531–537
Swain, E.	Performance prediction of an industrial centrifugal compressor inlet guide vane system	153–164
Tamainot-Telto, Z.	A prototype of a fast cycle adsorption refrigerator utilizing a novel carbon–aluminium laminate	439–448
Tassou, S. A.	Mathematical modelling of supermarket refrigeration systems for design, energy prediction and control	101–114
Thorne, E. W.	Pump efficiency testing by the thermodynamic method—an independent view	255–268
Tourlidakis, A.	The design and analysis of pipe diffusers for centrifugal compressors	87–96
Tourlidakis, A.	Computational studies of unsteady flows in a centrifugal compressor stage	611–633
Turner, A. B.	Development of a novel gas turbine driven centrifugal compressor	423–437
Vardy, A. E.	Pollution—cost balance in road tunnel ventilation	677–690
Ventrone, G.	Direct and reverse flow conditions in radial flow hydraulic turbomachines	635–644
Verkooijen, A. H. M.	Conceptual design for the energy conversion system of a nuclear gas turbine cogeneration plant	401–411
Virgone, J.	Proposal for a highly intermittent heating law for discontinuously occupied buildings	29–39
Walton, D.	The effects of free stream air velocity on water droplet size and distribution for an impaction spray nozzle	531–537
Wang, S.-J.	Multi-point optimal design for diffuser cascades of centrifugal compressors	187–190
Wang, T.	Prediction of the unsteady aerodynamic characteristics of horizontal axis wind turbines including three-dimensional effects	385–400
Whitfield, A.	Pressure recovery in a turbocharger compressor volute	599–610
Winterbone, D. E.	Engines versus electrons: the future of power production	1–11
Wood, M. I.	Gas turbine hot section components: the challenge of 'residual life' assessment	193–201
Wu, C.	Cooling and heating rate limits of a reversed reciprocating Ericsson cycle at steady state	75–85
Xi, G.	Multi-point optimal design for diffuser cascades of centrifugal compressors	187–190
Yokono, Y.	Experimental study on the performance of a compact heat sink for LSI packages	523–530
Zubair, S. M.	Design and rating of dedicated mechanical-subcooling vapour compression refrigeration systems	455–471

© IMechE 2000